NOVA LUCE

OUTDOOR
COLLECTION
2023









OUTDOOR

10 . MABEL



12 . ADURO



14 . TIEN



14 . MINOT



16 . TALA



18 . FOCUS



20 . RAMO



22 . ELLERY



24 . PORTAL



26 . NED



27 . VOLVEL



28 . SURF



30 . PAX



32 . ACQUA



32 . BLISS



34 . TWIN



36 . OFIR



38 . POET



40 . PARK



42 . POSEN



42 . ENZI



44 . APOLLO



46 . SUITE



47 . SUITE



48 . BRIGITTA



50 . ZELDA



52 . ZELDA



54 . DEVORA



54 . STARK



56 . STONE



58 . AGOSTO



58 . MAX



60 . PYRO



62 . STICK



64 . NOTEN



66 . ROCK



68 . TALA



70 . CETERA

72 . ZOSIA

74 . FERRON



75 . LOCK



76 . SELENA

78 . LOEVE



78 . ZEST



80 . FIGO



82 . REGINA



82 . SORREN



84 . OMIKA



86 . CARINA



88 . ISIDORA



92 . BEV



94 . CAIRO



96 . CASTRO



98 . ARAN



100 . GRANTE



100 . BARCO



102 . FOX



104 . FUENTO



104 . EMILE



106 . EMILE



107 . LIDO



110 . VALOR



110 . PRIM



110 . TRENDO

110 . MARTA



112 . LOVETO



112 . BAY



112 . DYN

114 . BALI



118 . VEIRO



118 . MILEY

120 . VIDENO

120 . ZIRI

122 . FUNGO

124 . ARABELLA

124 . CHEZ

124 . MILE

126 . COMBO

128 . BRICE

128 . CAPO

130 . PARRIS

131 . DEWI

132 . COMO

132 . SOHO

134 . ZARI

135 . COMO

136 . AGILE

136 . BRIN

138 . DARF

139 . NUS

140 . FOCUS

140. GRAVITY

142 . COMO

144 . EPIC

146 . DEWEI

147 . OVI

148 . NERO

148 . NERO

150. NODUS

151. LIMBIO

152 . LUPO

152 . KEEN

153 . NOBU

154 . LETO

156 . ZENON

156. CAPE

157. KEEN

158 . TUNE

159 . DROPLET

160 . SANTO

160 . ZENITH

161 . ZENITH

166. FEND

166. STAKE

166 . KIMIKO

168 . DESTRY

170 . MINI

170 . INSIDE

172. INSIDE

173. NORTH

176 . FOCUS

178 . CECI

180 . CERISE

180 . CERISE

182. OLIVER

182. TOMMY

186. BLADE

190 . FUMO

190 . FABIO

192 . SEINA

200 . ROSE

201 . COLT

202 . JIGRA

203 . VERHAL

204 . FIGI

204 . MOCHA

205 . VENEDO

208 . RIO

208 . LIV

210 . FINLO

212 . LUTON

212 . KRYPTON

214 . BRIGI

214 . AIZEN

216 . JOYA

217 . COVE

218 . PULSAR

222 . KRYPTON

224 . CIRCE

226 . PASSAGIO

228 . BANG

232 . WALL WASHER

234 . WALL WASHER

235 . ALP


01 FLOOR & WALL
p. 008

02 CEMENT WALL & FLOOR
p. 090

03 SOLAR & SENSOR LIGHTS
p. 108

04 WALL LIGHTS
p. 116

05 SPIKES
p. 162

06 CEILING LIGHTS
p. 174

07 SPOT LIGHTS
p. 184

08 PORTABLE LIGHTS
p. 188


09 STEP LIGHTS
p. 206

10 WALL WASHER
p. 230

FLOOR & WALL



IP54






MABEL ▪ 9002869



Black Aluminium
& Clear Glass
LED 8.5 Watt 590Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 64 cm
D: 7.8 W: 7.8 H: 150 cm



MABEL ▪ 9002870




Black Aluminium
& Clear Glass
LED 17 Watt 1190Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 35 cm
D: 48.9 W: 20.1 H: 201.2 cm





IP54





ADURO ▪ 9002871

Black Aluminium & Acrylic
LED 7.6 Watt 460Lm
3000K 200-240 Volt
Beam Angle 78° **IP54**
D: 7.5 W: 11.7 H: 35 cm





ADURO ▪ 9002872

Black Aluminium & Acrylic
LED 7.6 Watt 460Lm
3000K 200-240 Volt
Beam Angle 78° **IP54**
D: 7.5 W: 11.7 H: 65 cm





IP54



TIEN ▪ 9002878




Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 H: 25 cm




TIEN ▪ 9002879



Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 H: 65 cm



MINOT ▪ 9026125



Black Aluminium
& Acrylic
LED 12 Watt 601Lm
3000K 100-240V
Beam Angle 122° IP54
L: 15 W: 9.5 H: 70 cm





TALA ▪ 9026121
Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 19.5 cm






IP54





TALA ▪ 9026122
Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 65 cm







IP54

Rotating



FOCUS ▪ 9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



Rotating



FOCUS ▪ 9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm





Rotating

FOCUS ▪ 9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm











RAMO ▪ 9291701
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 20 H: 14.6 cm






RAMO ▪ 9291702
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 14.6 H: 60 cm

IP65








RAMO ▪ 9291703
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 21 H: 60 cm





IP65






ELLERY ▪ 9100917

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 60 cm






ELLERY ▪ 9100916

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 36 cm





ELLERY ▪ 9100918

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 80 cm





IP54









PORTAL ▪ 9002840
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° **IP54**
L: 17.8 W: 6.9 H: 30 cm





PORTAL ▪ 9002841
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° **IP54**
L: 17.8 W: 6.9 H: 65 cm







NED ▪ 9104021
Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 1150Lm
3000K 220-240 Volt 50Hz
Beam 2x38° **IP54**
2 Sides Light
L: 28 W: 19 H: 6 cm





Rotating

VOLVEL ▪ 9195062
Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° **IP54**
L: 20 W: 11 H: 6 cm



IP54



NED ▪ 9104022
Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam 38° **IP54**
L: 15 W: 6 H: 50 cm




Rotating



VOLVEL ▪ 9195061
Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° **IP54**
L: 20 W: 6 H: 80 cm





IP65








SURF ▪ 9176101



Anthracite Die-Casting Aluminium
LED 8 Watt 440Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm





SURF ▪ 9176102



Anthracite Die-Casting Aluminium
LED 8 Watt 512Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm





IP54



PAX ▪ 9756800



Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° **IP54**
L: 13.5 W: 12 H: 80 cm




PAX ▪ 9756500



Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° **IP54**
L: 13.5 W: 12 H: 50 cm









BLISS ▪ 819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° **IP54**
AC Driver Included
L: 15 W: 6 H: 16 cm



BLISS ▪ 819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° **IP54**
AC Driver Included
L: 15 W: 6 H: 50 cm



IP54



ACQUA ▪ 713312

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° **IP54**
L: 12 W: 18 H: 5 cm



ACQUA ▪ 713313

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° **IP54**
L: 12 W: 5 H: 80 cm



Rotating






TWIN ▪ 713121
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 476Lm
3000K 220-240 Volt
Rotation 0-90° **IP54**
L: 20 W: 10 H: 60 cm


Rotating





TWIN ▪ 713122
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 476Lm
3000K 220-240 Volt
Rotation 0-90° **IP54**
L: 20 W: 10 H: 10 cm

IP54








OFIR ▪ 9002866



Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 8 W: 7 H: 16 cm



IP54




OFIR ▪ 9002867



Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 50 cm



OFIR ▪ 9002868




Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 75 cm




IP65








POET ▪ 9492780
Anthracite Die-Casting Aluminium
& Clear Glass
LED 16 Watt 1177Lm
3000K 220-240V
Beam Angle 90° IP65
L: 23.5 W: 10 H: 65 cm





POET ▪ 9492770
Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 560Lm
3000K 220-240V
Beam Angle 94° IP65
L: 13.5 W: 10 H: 65 cm





IP54








PARK ▪ 711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° **IP54**
AC Driver Included
L: 9 W: 14.5 H: 18 cm





PARK ▪ 713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 1044Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° **IP54**
AC Driver Included
L: 12.5 W: 22 H: 80 cm





PARK ▪ 713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° **IP54**
AC Driver Included
L: 12.5 W: 12 H: 80 cm



IP54





POSEN ▪ 9131201

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 872.69Lm
3000K 200-240 Volt
Beam Angle 113° **IP65**
L: 18 W: 19 H: 5 cm






ENZI ▪ 9936101

Dark Gray Aluminium
Acrylic Diffuser
LED 15 Watt 1630Lm
3000K 100-240 Volt
Beam Angle 180° **IP54**
D: 18 W: 18 H: 7 cm






POSEN ▪ 9131202

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 795Lm
3000K 200-240 Volt
Beam Angle 113° **IP65**
L: 18 W: 19 H: 65 cm





ENZI ▪ 9936102

Dark Gray Aluminium
Acrylic Diffuser
LED 15 Watt 1630Lm
3000K 100-240 Volt
Beam Angle 180° **IP54**
D: 18 W: 18 H: 80 cm







APOLLO ▪ 713411


Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° **IP54**
L: 9 W: 15 H: 4.5 cm






APOLLO ▪ 713311

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° **IP54**
L: 9 W: 15 H: 80 cm



IP54







IP54




SUITE ▪ 859439
White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° **IP54**
D: 15 W: 5 cm




SUITE ▪ 9297191
Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° **IP54**
D: 15 W: 5 cm



SUITE ▪ 859438
Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° **IP54**
D: 15 W: 5 cm



SUITE ▪ 9207167
Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° **IP54**
D: 18 H: 60 cm



SUITE ▪ 9207168
Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° **IP54**
D: 18 H: 60 cm

IP54






IP65



BRIGITTA ▪ 9020929



Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 501Lm
3000K 100-240V IP65
L: 12 W: 13.7 H: 60 cm

BRIGITTA ▪ 9020930



Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 515Lm
3000K 100-240V IP65
L: 12 W: 15.5 H: 40 cm




BRIGITTA ▪ 9020928



Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 503Lm
3000K 100-240V IP65
L: 12 W: 8.3 H: 20.8 cm

BRIGITTA ▪ 9020931




Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 526Lm
3000K 100-240V IP65
L: 12 W: 15.5 H: 80 cm

IP65



IP65









ZELDA ▪ 9020925

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 342Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm








ZELDA ▪ 9020921

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 335Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm





ZELDA ▪ 9020922

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm








ZELDA ▪ 9020926
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 220-240V **IP65**
L: 12 W: 9.4 H: 15 cm





ZELDA ▪ 9020923
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 590Lm
3000K 100-240V **IP65**
L: 12 W: 9.4 H: 40 cm






ZELDA ▪ 9020924
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 100-240V **IP65**
L: 12 W: 9.4 H: 80 cm

IP65

IP54





DEVORA ▪ 822642
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 65 cm





DEVORA ▪ 826423
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 22 cm


IP65







STARK ▪ 9492660
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm
3000K 220-240V
Beam Angle 168° IP65
D: 16 H: 14.6 cm



IP54











STONE ▪ 9002850
White Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm




STONE ▪ 9002851
Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm





STONE ▪ 9002860
Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 12 H: 65 cm



IP65



MAX ▪ 9026002
Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1307Lm
3000K 200-240 Volt
Beam Angle 120° **IP65**
D: 16 W: 10 cm



MAX ▪ 9026001
Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1385Lm
3000K 200-240 Volt
Beam Angle 120° **IP65**
L: 16 W: 10 H: 16 cm

IP54



AGOSTO ▪ 9207615
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° **IP54**
D: 11 W: 11 cm



AGOSTO ▪ 9277151
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° **IP54**
D: 11 H: 50 cm




AGOSTO ▪ 9207616
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° **IP54**
L: 11 W: 11 H: 11 cm





PYRO ▪ 9209211
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
D: 10 W: 13 H: 21 cm





PYRO ▪ 9209212
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
D: 10 H: 60 cm

IP54







STICK ▪ 713412



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 11 H: 17 cm



STICK ▪ 71371102



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm

IP54





STICK ▪ 71371101



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm

IP65









NOTEN ▪ 9905023

Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt **IP65**
Beam Angle 120° **IP65**
D: 9 H: 20 cm






NOTEN ▪ 9905022

Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt **IP65**
Beam Angle 120° **IP65**
D: 9 H: 40 cm





NOTEN ▪ 9905021

Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt **IP65**
Beam Angle 120° **IP65**
D: 9 H: 80 cm



IP65





ROCK ▪ 9905025



Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° **IP65**
D: 9 H: 43 cm




ROCK ▪ 9905024



Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° **IP65**
D: 9 H: 83 cm







IP54




TALA ▪ 9026123
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 25 cm





TALA ▪ 9026124
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 70 cm









CETERA ▪ 9002873



Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



CETERA ▪ 9002874




Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 50 cm

IP54



CETERA ▪ 9002875



Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 90 cm





IP65








ZOSIA ▪ 9060181

Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Blub Excluded IP65
D: 9 W: 12 H: 25 cm






ZOSIA ▪ 9060182

Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 50 cm





ZOSIA ▪ 9060183

Dark Gray Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 80 cm





IP65




FERRON ▪ 9060184



Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 80 cm



FERRON ▪ 9060185



Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 80 cm



LOCK ▪ 813101



Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 16 H: 20 cm



LOCK ▪ 813104



Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 13.5 H: 50 cm

IP54




IP65





SELENA ▪ 9492720



Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm


SELENA ▪ 9492740



Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm




SELENA ▪ 9492730




Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 65 cm



SELENA ▪ 9492750




Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 8.5 H: 65 cm





ZEST ▪ 870026



Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 18 W: 17 H: 28 cm





ZEST ▪ 870045



Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 20 W: 20 H: 29 cm



LOEVE ▪ 9193101



Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt **IP65**
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm

IP65



LOEVE ▪ 9193102




Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt **IP65**
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm





IP65






FIGO ▪ 9492500

Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 14.5 W: 20.5 H: 43 cm





FIGO ▪ 9060192

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
L: 11 W: 15 H: 24.5 cm



IP54



FIGO ▪ 9060193

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
L: 11 W: 11 H: 50 cm



SORREN ▪ 9197701



Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm



REGINA ▪ 9492442



Anthracite Die-Casting Aluminium
& Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm




SORREN ▪ 9197702



Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm



REGINA ▪ 9492760



Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm



REGINA ▪ 9492710



Anthracite Die-Casting Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm



IP65




OMIKA ▪ 9060195



Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 37 cm



OMIKA ▪ 9060196




Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 97 cm

IP54



OMIKA ▪ 9060197



Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 88.5 cm



OMIKA ▪ 9060194




Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 W: 18.5 H: 28 cm







CARINA ▪ 9060208
Black Aluminium
LED 6 Watt 294.84Lm
3000K 220-240V **IP65**
D: 18 W: 21.5 H: 30 cm




IP65





CARINA ▪ 9060207
Black Aluminium
LED 6 Watt 279.09 Lm
3000K 220-240V **IP65**
D: 18 H: 150 cm





CARINA ▪ 9060213
Black Aluminium
LED 6 Watt 279.54 Lm
3000K 220-240V **IP65**
D: 18 W: 27 H: 90 cm





IP54




ISIDORA ▪ 870426
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
D: 25 W: 27 H: 40 cm



ISIDORA ▪ 870445
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
D: 22 H: 95 cm

CEMENT WALL & FLOOR









BEV ▪ 9540214
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V **IP65**
L: 17 W: 17 H: 20 cm





BEV ▪ 9540215
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V **IP65**
L: 20 W: 20 H: 35 cm






BEV ▪ 9540216
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V **IP65**
L: 20 W: 20 H: 70 cm

IP65


IP65








CAIRO ▪ 9540217
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm




CAIRO ▪ 9540218
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm





CASTRO ▪ 9762161
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm



CASTRO ▪ 9762162
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm



CASTRO ▪ 9739351
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm



CASTRO ▪ 9739352
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm


IP65





IP65






ARAN ▪ 9540213
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V **IP65**
L: 16 W: 15 H: 50 cm





ARAN ▪ 9540212
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V **IP65**
L: 15 W: 14 H: 70 cm








ARAN ▪ 9540211
Gray Cement
Glass Diffuser
LED 2x5 Watt 850Lm
3000K 120-230V **IP65**
L: 13 W: 14.5 H: 70 cm






IP65



GRANTE ▪ 9790021



Gray Concrete & Aluminium
LED 5 Watt 365Lm 3000K
220-240 Volt IP65
L: 12 W: 12 H: 53 cm



GRANTE ▪ 9790022



Gray Concrete & Aluminium
LED GU10 2x10 Watt
100-240 Volt
Bulb Excluded IP65
L: 20 W: 12 H: 60 cm






BARCO ▪ 9540207



Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 25 cm



BARCO ▪ 9540208



Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 60 cm







FOX ▪ 9470582

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded **IP65**
D: 14 H: 16 cm





FOX ▪ 9470581

Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded **IP65**
D: 14 H: 16 cm



IP65







FUENTO ▪ 9790541



White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm



FUENTO ▪ 9790542



Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm



FUENTO ▪ 9790551



White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



FUENTO ▪ 9790552



Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm

IP65





EMILE ▪ 9540209



Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
Light Down
L: 9 W: 9.7 H: 11.2 cm







EMILE ▪ 9540210



Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 H: 11.2 cm



IP65





LIDO ▪ 9790531



White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO ▪ 9790532



Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO ▪ 9790521



White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



LIDO ▪ 9790522



Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm


SOLAR & SENSOR LIGHTS











SOLAR SENSOR



VALOR ▪ 9492540


Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 104Lm
3000K 3.7 Volt
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm





PRIM ▪ 9492510

Anthracite Die-Casting
Aluminium & Clear Glass
LED 2 Watt 197Lm
3000K 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm








IP65



TRENDO ▪ 9492520

Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 219Lm
3000K 3.7 Volt
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 5 cm






MARTA ▪ 9492530

Anthracite Die-Casting Aluminium
& Clear Glass
LED 1 Watt 57Lm
3000K 3.7 Volt
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm




Motion Sensor Activation


Max. distance 5M. Temperature less than 20°C
The lights need to be installed at least 1.5-2.5M. from the ground.
Charging time: 7-9 hours
Lighting duration : 10-11 hours







Motion Sensor Activation
Max. distance 5M. Temperature less than 20°C. The lights need to be installed at least 1.5-2.5M from the ground.



LOVETO ▪ 9120622
Dimmable



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 136Lm 3000K
3.7 Volt Beam Angle 125° **IP65**
Solar / Switch On/Off
L: 14.5 W: 14.5 H: 50 cm



SOLAR SENSOR

LOVETO ▪ 9120621
Dimmable



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 90Lm 3000K
3.7 Volt Beam Angle 125° **IP65**
Solar / Switch On/Off
L: 14.5 W: 16.2 H: 24 cm



BAY ▪ 9120711
Dimmable



Anthracite Die-Casting Aluminium
Clear Glass & Acrylic Diffuser
LED 1.5 Watt 82.67Lm 3000K
3.7 Volt Beam Angle 87° **IP65**
Solar / Switch On/Off
L: 12.6 W: 8.3 H: 25.2 cm



DYN ▪ 9190101
Dimmable



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 199.47Lm 3000K
3.7 Volt Beam Angle 110° **IP65**
Solar / Switch On/Off
L: 16 W: 11.5 H: 6 cm

IP65








SOLAR

BALI ▪ 9922510

Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 399.09Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



SOLAR



BALI ▪ 9922360

Dimmable

Anthracite Die-Casting Aluminium
LED 2 Watt 265.39Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm

IP65 PORTABLE SOLAR

USB CHARGER





WALL LIGHTS



IP54



IP65





VEIRO ▪ 9104835
Anthracite Die-Casting
Aluminium & Clear Glass
LED 6 Watt 62Lm 3000K
200-240 Volt IP65
Light up & Down
Beam Angle 40°
L: 9 W: 9.3 H: 20.5 cm



MILEY ▪ 9202261
Sandy White Aluminium & Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY ▪ 9202262
Sandy Black Aluminium
Clear Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY ▪ 9202131
Sandy White Aluminium & Glass
LED 4.5 Watt 304Lm 3000K
200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm






IP65








VIDENO ▪ 9492590
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm
3000K 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm






ZIRI ▪ 9492570
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm
3000K 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm





PURE ▪ 9492560
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm
3000K 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm







FUNGO ▪ 9027201


Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° **IP65**
Light Down
L: 22 W: 7.6 H: 3.2 cm



FUNGO ▪ 9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° **IP65**
Light Down
L: 22 W: 7.6 H: 3.2 cm

IP65










IP54

Adjustable






ARABELLA ▪ 9026119
White Aluminium
& Clear Glass
LED 6 Watt 398Lm
3000K 100-240V
Beam Angle 50° **IP54**
L: 11 W: 9 H: 18 cm

CHEZ ▪ 9259361



White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° **IP54**
Light Up & Down
L: 13 W: 9 H: 7 cm

CHEZ ▪ 9292211



White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° **IP54**
Light Up & Down
L: 17 H_1: 8.5 H_2: 14 cm

MILE ▪ 9257871



White Aluminium & Glass
LED 9 Watt 475Lm
3000K 100-240 Volt
Beam Angle 155° **IP54**
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm



MILE ▪ 9262111



White Aluminium & Glass
LED 2x5 Watt 550Lm
3000K 100-240 Volt
Beam Angle 102° **IP54**
Light Up & Down
L: 18 W: 3.5 H: 9 cm






IP65




FEDOR ▪ 9492630



Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm



COMBO ▪ 9492600




Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm



GOA ▪ 9192171



Anthracite Die-Casting Aluminum
& Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm



IP54



BRICE ▪ 9136176

Black Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm

BRICE ▪ 9136177

White Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm




IP65




CAPO ▪ 9060199


Sandy Black Aluminium
& Tempered Glass Diffuser
LED 3 Watt 184.3Lm
3000K 220-240V IP65
D: 7 W: 6.4 H: 10.5 cm











PARRIS ▪ 9492620
Anthracite Die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm
3000K 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm





SERIKA ▪ 9492580
Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm
3000K 220-240V
Beam Angle 222° IP65
L: 11 W: 6 H: 11 cm






ZARO ▪ 9492650
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
Light Up & Down
L: 9 W: 5.5 H: 10.2 cm






DEWI ▪ 9492640
Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm
3000K 220-240V
Beam Angle 253° IP65
Light Up & Down
L: 11.8 W: 3.8 H: 9.7 cm




IP65











IP54



COMO ▪ 741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° **IP54**
Light Up & Down
L: 15 W: 7 H: 11 cm





COMO ▪ 741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° **IP54**
Light Up & Down
L: 15 W: 7 H: 11 cm





SOHO ▪ 740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° **IP54**
Light Up & Down
L: 12 W: 3 H: 9 cm





SOHO ▪ 740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° **IP54**
Light Up & Down
L: 18.5 W: 3 H: 10 cm





SOHO ▪ 740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° **IP54**
Light Up & Down
L: 12 W: 3 H: 9 cm





SOHO ▪ 740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° **IP54**
Light Up & Down
L: 18.5 W: 3 H: 10 cm









IP54



ZARI ▪ 9226217
Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions





ZARI ▪ 9226216
Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI ▪ 9226215
Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions





ZARI ▪ 9226214
Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions




COMO ▪ 726217
Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions



COMO ▪ 852436
Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm
3000K 220-240 Volt 50Hz
Beam Angle 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions

IP54



IP54


Adjustable



AGILE ▪ 833426



Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm





IP65


Rotating



BRIN ▪ 9160101



Anthracite Die-Casting Aluminium
Clear Glass
LED 9.5 Watt 340.76Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm







IP65





DARF ▪ 9925666



Sandy Black Aluminium
ABS Diffuser
LED 2x5 Watt 840Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
Light Up & Down
D: 9.5 W: 10.5 H: 13 cm



DARF ▪ 9925665



Sandy Black Aluminium
ABS Diffuser
LED 5 Watt 420Lm
3000K 100-240 Volt 50Hz
Beam Angle 104° IP65
Light Down
D: 9.5 W: 10.5 H: 8.5 cm

IP54




NUS ▪ 9200201



Black Die-Casting
Aluminium & Acrylic Diffuser
LED 4 Watt 400.33Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Down
L: 13.2 W: 9 H: 6.9 cm




NUS ▪ 9200202



Black Die-Casting
Aluminium & Acrylic Diffuser
LED 2x4 Watt 943Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Up & Down
L: 13.2 W: 9 H: 7.8 cm






IP65





VITORIA ▪ 8401030
Dark Gray Aluminium
LED 5 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm





FOCUS ▪ 752470
Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 44° IP54
L: 8.5 W: 14 H: 12 cm



IP54



GRAVITY ▪ 810067
Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12.5 Watt 591.13Lm
3000K 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm



PIER ▪ 810066
Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 13 Watt 723.32Lm
3000K 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm







IP54



Adjustable
Beam Angle



COMO ▪ 747406
Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle



COMO ▪ 847406
Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle



COMO ▪ 847408
Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm




Adjustable
Beam Angle



COMO ▪ 847407
Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



IP54



Adjustable
Beam Angle

EPIC ▪ 9136174
Black Aluminium
LED 2x10 Watt 1950Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 15 W: 15 H: 15 cm



Adjustable
Beam Angle




EPIC ▪ 9136175
White Aluminium
LED 2x10 Watt 1950Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 15 W: 15 H: 15 cm





IP54





AZAR ▪ 9026116

Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° **IP54**
Light Up & Down
L: 5 W: 4 H: 9 cm





DEWEI ▪ 9026117

Black Aluminum
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° **IP54**
Light Up & Down
L: 5 W: 4 H: 9 cm





DEWEI ▪ 9026118

White Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° **IP54**
Light Up & Down
L: 5 W: 4 H: 9 cm



IP54





OVI ▪ 9136182

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP54**
Bulb Excluded **Light Down**
D: 10 W: 11 H: 9 cm









NERO ▪ 710022
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm





NERO ▪ 710021
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm






NERO ▪ 710042
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm





NERO ▪ 710041
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm



IP54





NERO ▪ 910022
Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm





NERO ▪ 910021
Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm





NERO ▪ 910042
Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm





NERO ▪ 910041
Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm





IP54



LIMBIO ▪ 9010601

White ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm





LIMBIO ▪ 9010602

Black ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm





IP44



NODUS ▪ 773221

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm





NODUS ▪ 773223

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm





NODUS ▪ 773222

Antique Brown Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm





NODUS ▪ 773224

Antique Brown Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm





LIMBIO ▪ 9010622

Black ABS
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



LIMBIO ▪ 9010621

White Acrylic
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



IP65









LUPO ▪ 9926617



Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm




KEEN ▪ 9160081



Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 936Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm





NOBU ▪ 9060206

Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt 496.9Lm
3000K 220-240V IP65
L: 19.3 W: 4.7 H: 12.7 cm








LETO ▪ 9060203


Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm





LETO ▪ 9060202


Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm





LETO ▪ 9060204

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm






LETO ▪ 9060205

Sandy Black Aluminium
Acrylic Diffuser
LED 10 Watt 1208Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm



IP65







KEEN ▪ 9270027

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° **IP65**
L: 18 W: 9 H: 9 cm



KEEN ▪ 9270028

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° **IP65**
L: 18 W: 9 H: 9 cm




IP65



ZENON ▪ 9492610

Anthracite Die-Casting
Aluminium & Frost Acrylic
LED 10 Watt 558Lm
3000K 220-240V
Beam Angle 114° **IP65**
L: 18 W: 7.5 H: 9 cm





CAPE ▪ 9492550

Anthracite Die-Casting Aluminium
Frost Acrylic & Clear Glass
LED 10 Watt 763Lm
3000K 220-240V
Beam Angle 112° **IP65**
L: 20 W: 7.4 H: 20 cm







IP65



KEEN ▪ 9270015

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° **IP65**
L: 9 W: 7 H: 18 cm






KEEN ▪ 9270016

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° **IP65**
L: 9 W: 7 H: 18 cm





IP65



DROPLET ▪ 9522101

Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm





DROPLET ▪ 9522102

Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm





TUNE ▪ 9529712

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm





TUNE ▪ 9529713

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm





TUNE ▪ 9529720

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm





TUNE ▪ 9529721

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



IP65





ZENITH ▪ 9020933

Dark Gray Stainless Aluminium
Anti-Glare Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.3 W: 9 H: 10 cm





ZENITH ▪ 9020932

Dark Gray Stainless Aluminium
Anti-Glare Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.3 W: 9 H: 10 cm





ZENITH ▪ 713212

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 23 W: 9.5 H: 26.4 cm





ZENITH ▪ 713514


Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 23 W: 9.5 H: 26.4 cm




IP44

ZENITH ▪ 713115

White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm








ZENITH ▪ 713114


Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm





ZENITH ▪ 713113

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm






IP44

SPIKES

IP65



Rotating
& Adjustable



FEND ▪ 9271431



Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° **IP65**
D: 5 W: 7 H: 12 cm

Rotating
& Adjustable



FEND ▪ 9271491

Black Aluminium & Glass
LED 10 Watt 883.4Lm
3000K 100-240 Volt
Beam Angle 24° **IP65**
D: 6.5 W: 9 H: 15 cm

Rotating
& Adjustable



FEND ▪ 9271433



Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° **IP65**
D: 5 W: 9 H: 64 cm

Rotating
& Adjustable



FEND ▪ 9971451



Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° **IP65**
D: 5 W: 7 H: 12 cm

Rotating
& Adjustable



FEND ▪ 9971452



Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° **IP65**
D: 6.5 W: 9 H: 15 cm



IP65



Rotating
& Adjustable



Rotating
& Adjustable



Rotating
& Adjustable

STAKE ▪ 9271432



Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° **IP65**
D: 5 W: 9 H: 33 cm

STAKE ▪ 9271492




Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 6.5 W: 11 H: 35 cm

STAKE ▪ 9971455



Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° **IP65**
D: 5 W: 7 H: 45 cm





IP54

Rotating
& Adjustable



KIMIKO ▪ 9026126



Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded **IP54**
D: 7 H: 12.5 cm

Rotating
& Adjustable



KIMIKO ▪ 9026127



Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded **IP54**
D: 7 W: 12.5 H: 21 cm

IP65




Rotating
& Adjustable



VIDA ▪ 9026128
Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm




Rotating
& Adjustable



CALIX ▪ 9172870
Black Aluminium
& Clear Glass
LED 3W Watt 273Lm
3000K 220-240 Volt
Beam Angle 24° IP65
D: 40 W: 7.3 H: 22.5 cm

IP54





Rotating
& Adjustable



DESTRY ▪ 9136184
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 11.5 cm




Rotating
& Adjustable



DESTRY ▪ 9136183
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 30 cm





INSIDE ▪ 9010001

Sandy Black Aluminium & Glass
LED 3 Watt 295.06Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 4.5 W: 9 H: 21-26 cm



INSIDE ▪ 9010003

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 4.2 W: 7 H: 21-24 cm





INSIDE ▪ 9010002

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 6.5 W: 13 H: 24-31 cm



INSIDE ▪ 9010005

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 6.5 W: 10 H: 24-28 cm

IP65





BASE ▪ 9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 &
9010005



MINI ▪ 9010004

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 4.2 W: 7 H: 5.5-8 cm





IP54





INSIDE ▪ 767801
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 11 H: 20 cm





INSIDE ▪ 875409
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 7.5 W: 15 H: 36 cm





NORTH ▪ 9240677
Black Aluminium & Glass
LED 10 Watt 700Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 9 W: 9.5 cm





NORTH ▪ 9240678
Black Aluminium & Glass
LED 20 Watt 1500Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 12 W: 18 cm





NORTH ▪ 9240679
Black Aluminium & Glass
LED 30 Watt 2800Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 15 W: 20.5 cm





NORTH ▪ 742071
Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
100-240 Volt 50Hz
Beam Angle 48° IP65
W: 19.5 L: 13 H: 20-29 cm

IP65



CEILING LIGHTS

IP54



DARA ▪ 9136178

Black Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° **IP54**
D: 8 H: 11 cm



DARA ▪ 9136179

White Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° **IP54**
D: 8 H: 11 cm





FOCUS ▪ 752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° **IP54**
D: 10 H: 6.5 cm



FOCUS ▪ 752463

Dark Grey Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° **IP54**
D: 10 H: 6.5 cm



FOCUS ▪ 752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° **IP54**
D: 10 H: 6.5 cm





IP65



CECI ▪ 9220021
Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm





CECI ▪ 9200612
Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm





CECI ▪ 9220022
Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm





CECI ▪ 9200611
Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



CERISE ▪ 9020021

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt **IP54**
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



CERISE ▪ 9040021

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt **IP54**
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



CERISE ▪ 9020061

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt **IP54**
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



CERISE ▪ 9040061

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt **IP54**
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



CERISE ▪ 9020022

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt **IP54**
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm



CERISE ▪ 9040022

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt **IP54**
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm



IP65



OLIVER ▪ 9944603

Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



OLIVER ▪ 9944602

Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm





IP54



TOMMY ▪ 9521001

Dark Gray ABS & Acrylic Diffuser
LED 25 Watt 3728Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm





TOMMY ▪ 9521002

Dark Gray ABS & Acrylic Diffuser
LED 21 Watt 2391Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm



SPOT LIGHTS



BLADE ▪ 9232116

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



LED · IP65 · WARM WHITE · DRIVER INCL.



BLADE ▪ 9232115

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



LED · IP65 · WARM WHITE · DRIVER INCL.



BLADE ▪ 9232119

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



LED · IP65 · WARM WHITE · DRIVER INCL.



BLADE ▪ 9232120

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



LED · IP65 · WARM WHITE · DRIVER INCL.



Rotating

BLADE ▪ 9232117

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



LED · IP65 · WARM WHITE · DRIVER INCL.



Rotating

BLADE ▪ 9232118

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



LED · IP65 · WARM WHITE · DRIVER INCL.

IP65



PORTABLE LIGHTS

Charging time: 7-10hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs



IP54

FUMO ▪ 9002863
Dimmable
White Aluminium & Acrylic
LED 2 Watt 230Lm
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm



FUMO ▪ 9002864
Dimmable
Black Aluminium & Acrylic
LED 2 Watt 230Lm 3000K
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm



USB CHARGER



FABIO ▪ 9492441
Dimmable
Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm
3000K DC 5 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire
D: 19 H: 38 cm



Charging time: 4.5hrs
• Touch 1: 100% of light - 10hrs
• Touch 2: 50% of light - 20 hrs



IP54

TWO DIFFERENT TYPES OF CHARGING




PG RECHARGING BASE



USB TYPE C





SEINA ▪ 9223406
Dimmable
Sandy Black Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off
Rechargeable with PG base
or White USB Type C Wire
D: 11.4 H: 39.5 cm



SEINA ▪ 9223407
Dimmable
Sandy White Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off
Rechargeable with PG base
or White USB Type C Wire
D: 11.4 H: 39.5 cm







BASE ▪ 9223408
Sandy Black Aluminium
PG Recharging Base Compatible
with codes **9223406 & 9223407**



ADAPTOR ▪ 9223409
Black adaptor 5V 2A



ADAPTOR ▪ 9223410
White adaptor 5V 2A




Charging time: 4.5hrs
• Touch 1: 100% of light - 10hrs
• Touch 2: 50% of light - 20 hrs





SEINA ▪ 9223403
Dimmable




Sandy Brown Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off/ USB Type C Wire
Rechargeable with PG base
D: 11.4 H: 39.5 cm





SEINA ▪ 9223405
Dimmable




Sandy Olive Green Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off/ USB Type C Wire
Rechargeable with PG base
D: 11.4 H: 39.5 cm





SEINA ▪ 9223404
Dimmable



Sandy Balsalt Grey Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off / USB Type C Wire
Rechargeable with PG base
D: 11.4 H: 39.5 cm



IP54






IP54 PORTABLE

Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs




COLT ▪ 9223412
Dimmable



Sandy Rust Brown Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm




COLT ▪ 9223414
Dimmable




Sandy Olive Green Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



COLT ▪ 9223413
Dimmable



Sandy Dark Grey Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm






ADAPTOR ▪ 9223409
Black adaptor 5V 2A



ADAPTOR ▪ 9223410
White adaptor 5V 2A




COLT ▪ 9223415
Dimmable



Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



COLT ▪ 9223411
Dimmable



Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



LED IP54 WARM WHITE on/off PORTABLE USB BATTERY

IP54 PORTABLE

Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs



COLT ▪ 9223999
Dimmable



Sandy Rust Brown Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT ▪ 9223998
Dimmable



Sandy Olive Green Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT ▪ 9223997
Dimmable



Sandy Dark Grey Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT ▪ 9121911
Dimmable




Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT ▪ 9121912
Dimmable



Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm






ADAPTOR ▪ 9223409
Black adaptor 5V 2A



ADAPTOR ▪ 9223410
White adaptor 5V 2A






Charging time: 4-5hrs
• Touch 1: 100% of light - 7-8hrs
• Touch 2: 5% of light - 280 hrs

IP54




ROSE ▪ 9281380



White Aluminium
& Acrylic
LED 2 Watt 207Lm
3000K DC 5 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



ROSE ▪ 9281381



Black Aluminium
& Acrylic
LED 2 Watt 207Lm
3000K DC 5 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



COLT ▪ 9223400
Dimmable



Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT ▪ 9223401
Dimmable




Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm

Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs







Charging time: 7-10hrs
- **Touch 1: 100% of light - 4hrs**
- **Touch 2: 40% of light - 10 hrs**
- **Touch 3: 10% of light - 50 hrs**




USB CHARGER



VERHAL ▪ 9002862


Dimmable



Black Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
L: 16 W: 16 H: 47.5 cm

VERHAL ▪ 9002861

Dimmable



White Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
L: 16 W: 16 H: 47.5 cm



JIGRA ▪ 9002876

Dimmable



Black Aluminium
& Acrylic
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 306° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22.8 cm




JIGRA ▪ 9002877

Dimmable



Black Aluminium
& Acrylic
LED 2 Watt 210Lm
3000K 3.7 Volt
Beam Angle 339° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22 cm


IP54 PORTABLE **SOLAR**



IP65 PORTABLE



FIGI ▪ 9923500
Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 271.41Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 50 cm

USB CHARGER




FIGI ▪ 9922350
Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 207Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 35 cm

Charging time: 3hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs





VENEDO ▪ 9002865
Dimmable



Black Aluminium
& Acrylic
LED 2 Watt 180 Lm
3.7 Volt 3000K IP54
D: 10.2 W: 10.2 H: 15 cm

USB CHARGER



IP54




MOCHA ▪ 9492700



Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 191Lm
3000K DC 5 Volt
Beam Angle 96° IP54
D: 15 W: 15 H: 35 cm

IP54





STEP LIGHTS







LIV ▪ 9018062

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 245.3Lm
3000K 200-240 Volt
Beam Angle 120° **IP54**
L: 13 W: 3 H: 5.5 cm



LIV ▪ 9018061

White Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 245.3Lm
3000K 200-240 Volt
Beam Angle 120° **IP54**
L: 13 W: 3 H: 5.5 cm



VISION ▪ 9492690


Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 34Lm
3000K 220-240V
Beam Angle 50° **IP54**
L: 10 W: 2.9 H: 6.7 cm





RIO ▪ 9492670

Anthracite Die-Casting Aluminium
& Clear Glass
LED 6 Watt 122.31Lm
3000K 220-240V
Beam Angle 266° **IP65**
L: 22.7 W: 3.5 H: 12.7 cm





IP54







FINLO ▪ 9117080
Grey Concrete **IP65**
L: 10 W: 1.7 H: 10 cm





FINLO ▪ 9117086
Grey Concrete **IP65**
L: 10 W: 1.7 H: 10 cm





FINLO ▪ 9117084
Grey Concrete **IP65**
L: 10 W: 1.7 H: 10 cm





SOURCE ▪ 9117082
Grey Aluminium
LED 3.5 Watt 111.65Lm
3000K 220-240V **IP65**
HEP DRIVER
Compatible with: 9117080, 9117084, 9117086
L: 6.5 W: 6.7 H: 3.9 cm

IP65





IP54



KRYPTON ▪ 710446



Dark Gray Aluminium & Glass
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm



KRYPTON ▪ 726408




Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm



KRYPTON ▪ 752250



Dark Gray Aluminium
LED 6 Watt 751Lm
3000K 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm



IP65



LUTON ▪ 8403624



Dark Gray ABS
LED 1.2 Watt
145Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm



LUTON ▪ 8403622




Dark Gray ABS
LED 1.6 Watt
212Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



LUTON ▪ 8403626



Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm





IP54

IP65



BRIGI ▪ 9020927



Dark Grey Acrylic Cover
& Diffuser
LED 1.2 Watt 158.99Lm
3000K 220-240V IP65
D: 11 W: 3.1 H: 11 cm



ARNE ▪ 9492680




Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 39Lm
3000K 220-240V
Beam Angle 50° IP54
D: 12 W: 2.9 H: 12 cm




AIZEN ▪ 9026120



White Aluminium
& Clear Glass
LED 3 Watt 16Lm 3000K
600mA 100-240V
Beam Angle 148° IP54
Cut Out: L: 12.6 W: 4.2 H: 6 cm
L: 13.5 W: 5 H: 6.5 cm
Junction Box Included







JOYA ▪ 9944141


Sandy Black Aluminium
LED 3 Watt 16.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° **IP65**
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



JOYA ▪ 9944142

Sandy Black Aluminium
LED 3 Watt 23.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 19° **IP65**
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm


IP65





COVE ▪ 9083011

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° **IP54**
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm




IP54



COVE ▪ 9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° **IP54**
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm





IP54



PULSAR ▪ 812302



Dark Gray ABS
LED 4 Watt 526.7Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm



PULSAR ▪ 811201



Dark Gray ABS
LED 2 Watt 268.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm



PULSAR ▪ 812102




Dark Gray ABS
LED 4 Watt 461.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm



PULSAR ▪ 811502



Dark Gray ABS
LED 2 Watt 365.14Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR ▪ 811501



Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 557Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR ▪ 812103



Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 683Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



PULSAR ▪ 812104




Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm

IP54



IP54



KRYPTON ▪ 726407

Dark Gray Aluminium
LED 3 Watt 95.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° **IP54**
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



KRYPTON ▪ 727002

Dark Gray Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm



KRYPTON ▪ 727001


White Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm






KRYPTON ▪ 726402

White Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



KRYPTON ▪ 726401

Dark Gray Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm






IP54



KRYPTON ▪ 726405



White Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



KRYPTON ▪ 726406



Dark Gray Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



KRYPTON ▪ 726403



White Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



KRYPTON ▪ 726404



Dark Gray Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm

IP54





IP54



CIRCE ▪ 9136185



Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K **IP54**
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE ▪ 9136186



White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K **IP54**
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE ▪ 9136187



Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K **IP54**
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE ▪ 9136188



White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K **IP54**
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



PASSAGIO ▪ 8090801

White Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz **IP54**
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



PASSAGIO ▪ 9045418

Black Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz **IP54**
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



PASSAGIO ▪ 9045514

White Aluminium
LED 1 Watt 32.76Lm 3000K
3 Volt 50Hz **IP54**
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



PASSAGIO ▪ 8058001

White Aluminium
LED 1 Watt 41.36Lm 3000K
3 Volt 50Hz **IP54**
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Lenght 1.80m
Connect it with driver 9020170



PASSAGIO ▪ 9031616

White Aluminium
LED 1 Watt 69.7Lm 3000K
3 Volt 50Hz **IP54**
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



PASSAGIO ▪ 9002601


White Aluminium
LED Chip Cree 2 Watt 40.45Lm
100-240 Volt 50Hz 3000K
Beam 49° **IP54**
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included

IP54





IP67 WATERPROOF





BANG ▪ 9019212

Satin Nickel Aluminium
LED 1 Watt 104.8Lm 3000K
3 Volt 50Hz **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





BANG ▪ 9019213

Satin Nickel Aluminium
LED 1 Watt 98.24Lm 3000K
3 Volt 50Hz **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170









BANG ▪ 9203113

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K **IP67**
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



BANG ▪ 9203111

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K **IP67**
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG ▪ 9203112

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K **IP67**
100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm









BANG ▪ 8038801

White Aluminium
LED 1 Watt 19Lm
3 Volt 50Hz
3000K **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG ▪ 8038401

White Aluminium
LED 1 Watt 104.8Lm
3 Volt 50Hz
3000K **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG ▪ 8039001

White Aluminium
LED 1 Watt 11.4Lm
3 Volt 50Hz
3000K **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



DRIVER ▪ 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

WALL WASHER

Rotation 30°



WALL WASHER ▪ 9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 32 Watt 3387.5Lm
3000K DC24V Adjustable
Beam Angle 30° **IP67**
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



LED IP67 WARM WHITE

Rotation 30°






BRACKET ▪ 9011163

Brackets for 9011162
2pcs Included

WALL WASHER ▪ 9011162



Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 44 Watt 4222.3Lm
3000K DC24V Adjustable
Beam Angle 30° **IP67**
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt

LED IP67 WARM WHITE

Rotation 30°






CONTROLLER ▪ 9011101

DMX CONTROLLER
Used to Control Max 1000 pcs

RGB

WALL WASHER ▪ 9011164




Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° **IP67**
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt

LED IP67


IP67 WATERPROOF




INSTALLATION



CONNECTION: 9011161 - 9011162



CONNECTION: 9011164









WALL WASHER ▪ 9011102




Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
746Lm 3000K DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm

INSTALLATION





IP67 WATERPROOF / ULTRA THIN






IP65 WATERPROOF / ULTRA NARROW / 7°



ALP ▪ 9010009



Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1857Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 17 cm




ALP ▪ 9010008



Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 565Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 10 cm

INSTALLATION



code	page	code	page	code	page	code	page	code	page	code	page
710021	148	773222	150	9002850	56	9020061	180	9060195	84	9176101	28
710022	148	773223	150	9002851	56	9020170	228	9060196	84	9176102	28
710041	148	773224	150	9002860	56	9020921	50	9060197	84	9190101	112
710042	148	810066	140	9002861	203	9020922	50	9060199	128	9192171	126
710446	212	810067	140	9002862	203	9020923	52	9060202	154	9193101	78
711024	40	811201	219	9002863	190	9020924	52	9060203	154	9193102	78
713113	160	811501	218	9002864	190	9020925	50	9060204	154	9195061	27
713114	160	811502	219	9002865	205	9020926	52	9060205	154	9195062	27
713115	160	812102	219	9002866	36	9020927	214	9060206	153	9197701	82
713121	34	812103	218	9002867	36	9020928	49	9060207	86	9197702	82
713122	34	812104	218	9002868	36	9020929	48	9060208	86	9200201	139
713123	34	812302	219	9002869	10	9020930	48	9060213	86	9200202	139
713124	40	813101	75	9002870	11	9020931	49	9083011	217	9200611	178
713212	161	813104	75	9002871	12	9020932	160	9083021	217	9200612	178
713311	44	819502	32	9002872	12	9020933	160	9100916	22	9202131	118
713312	32	819503	32	9002873	70	9026001	59	9100917	22	9202261	118
713313	32	822642	54	9002874	70	9026002	59	9100918	22	9202262	118
713411	44	826423	54	9002875	70	9026116	146	9104021	26	9203111	228
713412	62	833426	136	9002876	202	9026117	146	9104022	26	9203112	228
713514	161	847406	142	9002877	202	9026118	146	9104835	118	9203113	228
726217	135	847407	142	9002878	14	9026119	124	9117080	210	9207167	47
726401	220	847408	142	9002879	14	9026120	214	9117082	210	9207168	47
726402	220	852436	135	9010001	170	9026121	16	9117084	210	9207615	59
726403	222	859438	46	9010002	170	9026122	16	9117086	210	9207616	58
726404	222	859439	46	9010003	170	9026123	68	9120621	112	9207912	18
726405	223	870026	78	9010004	170	9026124	68	9120622	112	9209211	60
726406	223	870045	78	9010005	170	9026125	14	9120711	112	9209212	60
726407	220	870426	88	9010006	170	9026126	166	9121911	198	9220021	178
726408	212	870445	88	9010008	235	9026127	166	9131201	42	9220022	178
727001	220	875409	172	9010009	235	9026128	168	9131202	42	9223400	201
727002	220	910021	148	9010601	151	9027201	122	9136174	144	9223401	201
740401	132	910022	148	9010602	151	9027202	122	9136175	144	9223403	194
740402	132	910041	148	9010621	151	9031616	226	9136176	128	9223404	194
740403	132	910042	148	9010622	151	9040021	180	9136177	128	9223405	194
740404	132	8038401	228	9011101	232	9040022	180	9136178	176	9223406	192
741661	132	8038801	228	9011102	234	9040061	180	9136179	176	9223407	192
741662	132	8039001	228	9011161	232	9045418	226	9136182	147	9223408	192
742071	173	8058001	226	9011162	232	9045514	226	9136183	168	9223409	192
747406	142	8090801	226	9011163	232	9060181	72	9136184	168	9223410	192
752250	212	8401030	140	9011164	232	9060182	72	9136185	224	9223411	196
752461	176	8403622	212	9018061	208	9060183	72	9136186	224	9223412	196
752462	176	8403624	213	9018062	208	9060184	74	9136187	224	9223413	196
752463	176	8403626	212	9019212	228	9060185	74	9136188	224	9223414	196
752470	140	9002601	226	9019213	228	9060192	80	9160081	152	9223415	198
767801	172	9002840	24	9020021	180	9060193	80	9160101	136	9223997	198
773221	150	9002841	24	9020022	180	9060194	84	9172870	168	9223998	198

code	page	code	page	code	page
9223999	134	9492560	120	9756800	30
9226214	134	9492570	130	9762161	96
9226215	134	9492580	120	9762162	96
9226216	134	9492590	156	9790021	100
9226217	186	9492600	126	9790022	100
9232115	186	9492610	130	9790521	107
9232116	186	9492620	126	9790522	107
9223117	186	9492630	131	9790531	106
9232118	186	9492640	54	9790532	107
9232119	186	9492650	131	9790541	104
9232120	173	9492660	208	9790542	104
9240672	173	9492670	214	9790551	104
9240678	173	9492680	208	9790552	104
9240679	124	9492690	204	9905021	64
9257871	124	9492700	82	9905022	64
9259361	124	9492710	76	9905023	64
9262111	157	9492720	76	9905024	66
9270015	157	9492730	76	9905025	66
9270016	156	9492740	76	9922350	204
9270027	156	9492750	82	9922360	114
9270028	164	9492760	38	9923510	114
9271431	164	9492770	38	9923500	204
9271432	166	9492780	182	9925665	138
9271433	166	9521001	182	9925666	138
9271491	164	9521002	159	9926617	152
9271492	59	9522101	159	9936101	42
9277151	18	9522102	158	9936102	42
9279111	18	9529712	158	9944141	216
9279112	200	9529713	158	9944142	216
9281380	200	9529720	158	9944602	182
9281381	20	9529721	158	9944603	182
9291701	20	9540207	100	9971451	165
9291702	20	9540208	100	9971452	165
9291703	20	9540209	104	9971455	166
9292211	124	9540210	106	71371101	62
9297191	46	9540211	98	71371102	62
9470581	102	9540212	98		
9470582	102	9540213	98		
9492441	190	9540214	92		
9492442	82	9540215	92		
9492500	110	9540216	92		
9492510	110	9540217	94		
9492520	110	9540218	94		
9492530	120	9739351	96		
9492540	120	9739352	96		
9492550	156	9756500	30		

A

32 ACQUA
192 ADAPTOR
12 ADURO
136 AGILE
58 AGOSTO
214 AIZEN
235 ALP
44 APOLLO
124 ARABELLA
98 ARAN
214 ARNE
146 AZAR

B

114 BALI
228 BANG
100 BARCO
170.192 BASE
112 BAY
92 BEV
186 BLADE
32 BLISS
128 BRICE
214 BRIGI
48.49 BRIGITTA
136 BRIN

C

94 CAIRO
168 CALIX
156 CAPE
128 CAPO
86 CARINA
96 CASTRO
178 CECI
180 CERISE
70 CETERA
124 CHEZ
224 CIRCE
196.198.201 COLT
126 COMBO
132.135.142 COMO
232 CONTROLLER
217 COVE

D

176 DARA
138 DARF
168 DESTRY
54 DEVORA
146 DEWEI
131 DEWI
228 DRIVER
159 DROPLET
112 DYN

E

22 ELLERY
104.106 EMILE
42 ENZI
144 EPIC

F

190 FABIO
126 FEDOR
164-165 FEND
74 FERRON
204 FIGI
80 FIGO
210 FINLO
18.140.176 FOCUS
102 FOX
104 FUENTO
190 FUMO
122 FUNGO

G

126 GOA
100 GRANTE
140 GRAVITY

I

170-172 INSIDE
88 ISIDORA

J

202 JIGRA
216 JOYA

K

152.156.157 KEEN
166 KIMIKO
213.220.222.223 KRYPTON

L

154 LETO
106.107 LIDO
151 LIMBIO
208 LIV
75 LOCK
78 LOEVE
112 LOVETO
152 LUPO
213 LUTON

M

10.11 MABEL
110 MARTA
58 MAX
124 MILE
118 MILEY
170 MINI
14 MINOT
204 MOCHA

N

26 NED
148 NERO
153 NOBU
150 NODUS
173 NORTH
64 NOTEN
139 NUS

O

36 OFIR
182 OLIVER
84 OMIKA
147 OVI

P

40 PARK
130 PARRIS
226 PASSAGIO
30 PAX
140 PIER
38 POET
24 PORTAL
42 POSEN
110 PRIM
218.219 PULSAR
120 PURE
60 PYRO

R

20 RAMO
82 REGINA
208 RIO
66 ROCK
200 ROSE

S

192.194 SEINA
76 SELENA
130 SERIKA
132 SOHO
82 SORREN
210 SOURCE
166 STAKE
54 STARK
62 STICK
56 STONE
46.47 SUITE
28 SURF

T

16. 68 TALA
14 TIEN
182 TOMMY
110 TRENDO
158 TUNE
34 TWIN

V

110 VALOR
118 VEIRO
205 VENEDO
203 VERHAL
168 VIDA
120 VIDENO
208 VISION
140 VITORIA
27 VOLVEL

W

232.234 WALL WASHER

Z

134 ZARI
131 ZARO
50.52 ZELDA
160.161 ZENITH
156 ZENON
78 ZEST
120 ZIRI
72 ZOSIA

NOVA LUCE

www.novaluce.com